





Product Display

Strapping Equipments, Tools and Materials

Strapping Machine, steel and plastic strapping tools are suitable for packing books, hard or soft bags, boxes, cartoons, etc. They are widely used in many types of industries.



Pneumatic PET strapping tool



Manual Strapping Tools




Steel Strapping Tools



Automatic Strapping Machine

FEATURES

- Rapid Speed : 2.5 second/per cycle
- Easy Maintenance: No Greasing, Mechanism is stable and durable, Easy operation
- Tension Adjustment: Can be adjustable at well, Max .tension is over 90kgs
- Precision Structure: Main machine's component is made of aluminum alloy. Control System
- Add on a safety device, built for 24 hrs continuous operation
- Easy loading or unloading: To load or unload the strapping roll is convenient due to the dispenser is placed outside.
- Extensive applications : can be independent operation or combine with other machine for unmanned



Dimension Diagram

Specification	
Model	Fully Auto Strapping Machine
Power Supply	1 phase 110/220V
Sealing Method	Heat Sealed
Strap Width	9, 11, 15, 19mm
Speed	30 Straps/60 sec(60Hz)
Tension	05~ 70kg
Packing Size	100-825mm
Width	30-600mm
Size	1400(W)x 640(D)x 1535(H)
Weight	220kg



Semi Auto Strapping Machine

FEATURES

- Standard accessory, its advantage is stable quality, durable material, and easy maintenance.
- Special design- Control PP Strap cooling time. It can make the PP strapping to fasten well in any time.
- " Electricity -saving" device, the motor automatically stops running at once after one cycle strap to reduce the normal wear and to prolong the machine life.
- Non- fast heater plate, it will increase the work efficiency. The advanced P.C.B microchip circuit board system, less malfunction and easy maintenance.
- Installing an auxiliary feed/ rest switch and tension adjust switch at the control panel makes you operate more conveniently.



Specification	
Model	Semi Auto Strapping Machine(MPSSM-801) High
Voltage	110/220V 50/60Hz
Packing Size	Any Size
Max Tight Force	35Kg
PP Band Width	6mm-15mm
Size	05~ 70Kg
Packing Size	920(W)x600(D)x860mm(H)
Weight	100Kg



Specification	
Model	Semi Auto Strapping Machine(MPSSM-802) Low
Voltage	110/220V 50/60Hz
Packing Size	Any Size
Max Tight Force	35Kg
PP Band Width	6mm-15mm
Size	05~ 70Kg
Packing Size	920(W)x600(D)x580mm(H)
Weight	80Kg



Side -Sealing Strapping Machine

FEATURES

- Rapid Speed : 2.0 sec/ per cycle, 30 cycles/ per min
- Easy Maintenance: No Greasing, Mechanism is stable and durable, Easy operation.
- Table Height : 450mm(customer-made height is available)
- Easy loading or unloading: To load or unload the strapping roll is convenient due to the dispenser is placed outside.
- Packing type: Parallel 1 to several strips, in type of orders to pack, manual operation, continual packing, ball switch & pedal switch.

*MPASM-0660 is suitable for packing of heavy package or large volume package

*MPSSM-716 is suitable for packing of pallet



Specification	
Model	MPASM-0660
Power	3 phase 220/380/480V, 50/60HZ 850W 1 phase, 110/220V 50/60 HZ, 990W
Strap Width	6,9,12,15 mm
Tension Adjustment	10Kg 20Lbs to 90kg 180Lbs
Cycle Time	2 sec/cyle, 1800 straps/hr
Min Package Size	30(W) x10(H) mm
Max Package Size	Governed by size of arch
Table height	Adjustable
Dimension	27"x 60"x 69"
Weight	700lbs /320Kg



Specification	
Model	MPSSM-716
Power	1/4 HP 110/220V, 50/60 Hz, 200W 1/3 HP (Optional)
Strap Width	6,9,12,15 mm
Tension Adjustment	Max 55 Kg
Cycle Time	2 sec/cyle, 1800 straps/hr
Min Package Size	60mm
Max Package Size	Any Size
Table height	Adjustable
Dimension	27"x 34"x 63"
Weight	330lbs/150kg